

University of Nebraska Medical Center DigitalCommons@UNMC

Posters and Presentations: Physical Therapy

Physical Therapy

7-29-2016

Use of Distance Delivery Interventions (web-based, mHealth, telehealth) for Hard-to-reach, Vulnerable Midlife and Older **Individuals**

Patricia A. Hageman University of Nebraska Medical Center, phageman@unmc.edu

Tell us how you used this information in this short survey. Follow this and additional works at: https://digitalcommons.unmc.edu/cahp_pt_pres





Part of the Physical Therapy Commons

Recommended Citation

Hageman, Patricia A., "Use of Distance Delivery Interventions (web-based, mHealth, telehealth) for Hardto-reach, Vulnerable Midlife and Older Individuals" (2016). Posters and Presentations: Physical Therapy. 1. https://digitalcommons.unmc.edu/cahp_pt_pres/1

This Conference Proceeding is brought to you for free and open access by the Physical Therapy at DigitalCommons@UNMC. It has been accepted for inclusion in Posters and Presentations: Physical Therapy by an authorized administrator of DigitalCommons@UNMC. For more information, please contact digitalcommons@unmc.edu.








Acknowledgments Interdisciplinary team / Funding / Partners Carol H Pullen, RN, EdD Melody Hertzog, PhD Bunny Pozehl, APRN-NP, PhD, FAAN Christine Eisenhauer, APRN-CNS, PhD Linda S Boeckner, RD, PhD UNL-Extension UNC-College of Information Science and Technology Central Community College-Columbus, NE















































































Lessons learned (Physician use) Rapid explosion of laws Guidelines – limited or not-consistent Reimbursement less than office visit Online patient interactions do not affect in person physician frequency Studies underway Wilson F et al.2016. J Telemedicine Telecare North F et al.2014. Telemedicine and e-Health See reference list for additional sources









Glossary

Highlighted in ExPAAC II Presentation July 27-30, 2016. Hageman PA: Use of distance delivery interventions (web-based, mHealth, telehealth) for hard-to-reach, vulnerable midlife and older individuals.

e-health

E-health is an emerging field in the intersection of medical informatics, public health and business, referring to health services and information delivered or enhanced through the internet and related technologies. In broader sense the term characterizes not only a technical development but a state of mind, a way of thinking, an attitude, and a commitment for networked, global thinking, to improve health care locally, regionally and worldwide by using information and communication technology.

Ref: Eysenbach G. What is e-health? J Med Internet Res 2001;3(2):e20 http://www.jmir.org/2001/2/e20/ doi:10.2196/jmir.3.2.e20

mHealth*

1) mHealth is "the delivery of healthcare services via mobile communication devices"

Ref: Foundation for the National Institutes of Health (FNIH) www.caroltorgan.com/mhealth-summit/

2) "mHealth is the use of mobile and wireless devices to improve health outcomes, healthcare services and health research."

Ref: National Institutes of Health Consensus Group mHealth. [2013-03-25]. http://www.hrsa.aquilentprojects.com/healthit/mhealth.html

3) "Mobile Health (mHealth) is an area of electronic health (eHealth) and it is the provision of health services and information via mobile technologies such as mobile phones and Personal Digital Assistants (PDAs)."

Ref: World Health Organization (WHO)
http://www.who.int/tb/areas-of-work/digital-health/definitions/en/

4) "mHealth stands for mobile-based or mobile-enhanced solutions that deliver health. The ubiquity of mobile devices in the developed or developing world presents the opportunity to improve health outcomes through the delivery of innovative medical and health services with information and communication technologies to the farthest reaches of the globe."

Ref: The mHealth Alliance

http://www.mhealthknowledge.org/resource-type/mhealth-alliance

5) mHealth is "The use of mobile networks and devices in supporting e-care. Emphasizes leveraging health-focused applications on general-purpose tools such as smartphones and Short Message Service (SMS) messaging to drive active health participation by consumers and clinicians."

Ref: US Broadband Plan http://download.broadband.gov/plan/national-broadband-plan-chapter-10-health-care.pdf

Telehealth

Telehealth is the use of electronic communications to provide and deliver a host of health-related information and health care services, including, but not limited to physical therapy-related information and services, over large and small distances. Telehealth encompasses a variety of health care and health promotion activities, including, but not limited to, education, advice, reminders, interventions, and monitoring of interventions.

Ref: APTA Board of Directors TELEHEALTH - DEFINITIONS AND GUIDELINES BOD G03-06-09-19 [Retitled: Telehealth; Amended BOD G03-03-07-12; Initial BOD 11-01-28-70] [Guideline]

Telemedicine

Use of medical information exchanged from one site to another via electronic communications to improve a patient's clinical health status. Telemedicine includes a growing variety of applications and services using two-way video, email, smart phones, wireless tools and other forms of telecommunications technology.

Telerehabilitation refers to the delivery of rehabilitation services via information and communication technologies. Clinically, this term encompasses a range of rehabilitation and habilitation services that include assessment, monitoring, prevention, intervention, supervision, education, consultation, and counseling.

Synchronous: Interactive video connections that transmit information in both directions during the same time period.

Asynchronous: Term describing store and forward transmission of medical images and/or data because the data transfer takes place over a period of time, and typically in separate time frames. The transmission typically does not take place simultaneously. This is the opposite of synchronous.

Ref: American Telemedicine Association http://www.americantelemed.org/about-telemedicine/what-is-telemedicine#.V2RViqJFOwh

^{*}Definitions of mHealth are listed randomly, not by any level of meaning or relevance

ExPAAC II Presentation July 27-30, 2016. Hageman PA: Use of distance delivery interventions

Annecharico MA. 2016. The Implementation of Mobile Computing in Health Care. CIO Review. Accessed at http://healthcare.cioreview.com/cxoinsight/The-Implementation-of-Mobile-Computing-in-Health-Care-nid-3803-cid-31.html

Black JT, Romano PS, Sadeghi B, et al. 2014. A remote monitoring and telephone nurse coaching intervention to reduce readmissions among patients with heart failure: study protocol for the Better Effectiveness After Transition - Heart Failure (BEAT-HF) randomized controlled trial. Trials. 15:124, April 13, 2014

Becker B, Eisenhauer CM, Pullen CH, Dizona PL, Hageman PA. 2016. Feasibility of mhealth technology use among a sample of isolated rural men at high risk for cardiovascular disease. Cardiopulmonary Phys Ther Journal. 27(1):30.

Bonomi AG, Westerterp KR. 2011. Advances in physical activity monitoring and lifestyle interventions in obesity: a review. Int J Obesity. 36, 167-177. Doi:10.1038/ijo.2011.99

Bremner D, Tindall L, Theodoros D, et al. 2010. A blueprint for telerehabilitation guidelines. International J Telerehab. 2(2):31-34.

Brindal E, Freyne J, Saunders I, et al. 2012. Features predicting weight loss in overweight or obese participants in a web-based intervention: randomized trial. J Med Internet Res. 14:e173.

Calouro C, Kwong MW, Gutierrez M. 2014. An analysis of state telehealth laws and regulations for occupational therapy and physical therapy. Int J Telerehabilitation. 6(1):e17 DOI 10.5195/ijt.2014.6141

Chumbler NR, Quigley P, Li X, et al. 2012. Effects of Tele-rehabilitation on physical function and disability for stroke patients: a randomized, controlled trial. Stroke. 43(8):2168-74.

Daniel H, Sulmasy LS, & Health and Public Policy Committee of the American College of Physicians. 2015. Policy recommendations to guide the use of telemedicine in primary care settings: an American College of Physicians position paper. Ann Intern Med. Sep 7. Doi:10.7326/M15-0498

De Leo G, Brivio E, Sautter SW. 2011. Supporting autobiographical memory in patients with Alzheimer's disease using smart phones. Appl Neuropsychol. 18(1):69–76.

Deloitte. Annual Checkup on Physician Adoption of Health IT. September 2014. Accessed at: http://deloitte.wsj.com/cio/2014/10/08/annual-checkup-on-physician-adoption-of-health-it/

Digitas. m.Book: Marketing Mobile Health, 2013 Edition

http://www.publicishealthcare.com/Libraries/News_Documents/Digitas_Health_-

_mBook 2012 pdf.sflb.ashx

Durso SC, Wendel I, Letzt AM, et al. 2003. Older adults using cellular telephones for diabetes management: a pilot study. Medsurg Nurs. 12(5):313–317.

ExPAAC II Presentation July 27-30, 2016. Hageman PA: Use of distance delivery interventions

Eysenbach G.2001. What is e-health? J Med Internet Res 3(2):320 Doi: 10.2196/jmir.3.2.e20.

Eysenbach G, CONSORT-EHEALTH Group. 2011. CONSORT-EHEALTH: improving and standardizing evaluation reports of Web-based and mobile health interventions. J Med Internet Res. 13:e126.

Eysenbach G, Powell J, Englesakis M, Rizo C, Stern A. 2004. Health related virtual communities and electronic support groups:systematic review of the effects of online peer to peer interactions. British Medical Journal. 328:1166-9.

Finkelstein J1, Lapshin O, Castro H, Cha E, Provance PG. 2008. Home-based physical telerehabilitation in patients with multiple sclerosis: A pilot study. J Rehabil Res Dev. 45(9):1361-1373.

FluView Influenza-like Illness Activity Mobile Application. Center for Disease Control and Prevention. http://www.cdc.gov/flu/apps/fluview-mobile-app.html Updated April 27th, 2015.

Glasgow RE, Bull SS, Piette JD, Steiner JF. 2004. Interactive behavior change technology. A partial solution to the competing demands of primary care. Am J Prev Med. 27:80-7.

Green LA, Fryer GE, Yawn BP, Lanier D, Dovey SM. 2001. The Ecology of Medical Care. N Eng J Med 344(26): 2021-2024.

Health Services Resources Administration (HRSA) . 2015. Telehealth. http://www.hrsa.gov/healthit/toolbox/RuralHealthITtoolbox/Telehealth/whatistelehealth.html

Gofin J, Gofin R. 2011. Essentials of Global Community Health. Jones & Bartlett.

Gofin J, Gofin R, Stimpson JP. 2015. Community-oriented primary care (COPC) and the affordable care act: an opportunity to meet the demands of an evolving health care system. J Prim Care Community Health. Apr;6(2):128-33. doi: 10.1177/2150131914555908. Epub 2014 Oct 28.

Hageman PA, Pullen CH, Hertzog M, Boeckner LS, Walker SN. 2011. Web-based interventions for weight loss and weight maintenance among rural midlife and older women: protocol for a randomized controlled trial. BMC Public Health. Jun 30;11:521. doi: 10.1186/1471-2458-11-521.

Hageman PA, Pullen CH, Hertzog M, Boeckner LS. 2014. Effectiveness of tailored lifestyle interventions, using web-based and print-mail, for reducing blood pressure among rural women with prehypertension: main results of the Wellness for Women: DASHing towards Health clinical trial. Int J Behav Nutr Phys Act. Dec 6;11:148. doi: 10.1186/s12966-014-0148-2.

Healthcare Information and Management Systems Society (HIMSS) http://www.himss.org/

Joe J, Demiris G. 2013. Older adults and mobile phone for health: a review. J Biomed Inform. 46(5):947-954.

Johnsen M. 2014. Almost 80% of Americans would consider a virtual visit with their healthcare professional. The Harris Poll. November 19, 2014

ExPAAC II Presentation July 27-30, 2016. Hageman PA: Use of distance delivery interventions

Khaylis A, Yiaslas T, Bergstrom J, Gore-Felton C. 2010. A review of efficacious technology-based weight-loss interventions: five key components. Telemed J E Health. 16:931-8.

King AC, Hekler EB, Grieco LA, et al. 2013. Harnessing different motivational frames via mobile phones to promote daily physical activity and reduce sedentary behavior in aging adults. PLoS ONE. 13;8(4):e62613.

Lee AC, Billings M. 2016. Telehealth implementation in a skilled nursing facility: A case report for physical therapist practice in Washington. Phys Ther. Feb;96(2):252-9. doi: 10.2522/ptj.20150079. Epub 2015 Dec 10

Lee AC, Brown CA. 2015. Practical Application of Telehealth. APTA Learning Center Module.

Lee, AC, Harada NH. 2012. Telehealth as a means of health care delivery for physical therapist practice. Phys Ther. 92:463-468.

Lee AC, Parmanto B, Saptono A, et al. 2012. The VISYTER Telerehabilitation System for Gobalizing Physical Therapy Consultation: Issues and challenges for telethealth implementation. J Phys Ther Educ. 26(1):90-96.

Lee DL. 2016. Mobile health in older adults: benefits and barriers. Gerinotes. Nov 15;22(6):8-11.

Lee RYW, Carlisle AJ. 2011. Detection of falls using accelerometers and mobile phone technology. Age Ageing. 40(6):690–696.

Levy H, Janke A, Langa KM. 2014. Health Literacy and the Digital Divide Among Older Americans. J Gen Intern Med. Mar;30(3):284-9. doi: 10.1007/s11606-014-3069-5. Epub 2014 Nov 12.

Lim S, Kang SM, Shin H, et al. 2011. Improved glycemic control without hypoglycemia in elderly diabetic patients using the ubiquitous healthcare service, a new medical information system. Diabetes Care. 34(2):308–313.

Lyons EJ, Zakkoyva ZH, Mayrsohn BG, Rowland RL. 2014. Behavior change techniques implemented in electronic lifestyle activity monitors: A systematic content analysis. J Med Internet Res. 16(8): e192. Doi: 10.2196/jmir.3469

Mani S, Sharma S, Omar B, Paungmali A, Joseph L. 2016. Validity and reliability of Internet-based physiotherapy assessment for musculoskeletal disorders: A systematic review. Journal of Telemedicine and Telecare. Mar 31 0(0)1-13. Doi. 10.1177/1357633X16642369

Marshall SG, Shaw DK, Honles GL, et al. 2008. Interdisciplinary approach to the rehabilitation of an 18-year-old patient with bronchopulmonary dysplasia, using telerehabilitation technology. Respir Care. 53:346-350.

ExPAAC II Presentation July 27-30, 2016. Hageman PA: Use of distance delivery interventions

Monroe CM, Thompson DL, Bassett D, et al. 2015. Usability of Mobile Phones in Physical Activity—Related Research: A Systematic Review. Am J Health Education. 46(4): 196-206.

Most large employers will offer telemedicine, study shows. Medscape. Aug 24, 2015. (Summary of survey results from the National Business Group on Health and from Towers Watson)

National Conference of State Legislatures. 2015. Telehealth policy trends and considerations. www.ncsl.org/documents/health/telehealth2015.pdf

Neve M, Morgan PJ, Jones PR, Collins CE. 2010. Effectiveness of web-based interventions in achieving weight loss and weight loss maintenance in overweight and obese adults: a systematic review with meta-analysis. Obes Rev. 11:306-21.

North F, Crane S, Chaudhry R, et al. 2014. Impact of patient portal secure messages and electronic visits on adult primary care office visits. Telemedicine and e-Health. 20(3): 192-198.

Perri MG, Limacher MC, Durning PE, et al. 2008. Extended-care programs for weight management in rural communities: the treatment of obesity in underserved rural settings (TOURS) randomized trial. Arch Intern Med. 168:2347-54.

Peterson C, Watzlaf V. 2014. Telerehabilitation store and forward applications: A review of applications and privacy considerations in physical and occupational therapy practice. International J Telerehab. 6(2):75-84. Doi. 10.5195/ijt.2014.6161

Pew Research Center, November2012 Mobile Health 2012. http://www.pewinternet.org/2012/11/08/mobile-health-2012/

Pew Research Center, April 2014. Older Adults and Technology Use. http://www.pewinternet.org/2014/04/03/older-adults-andtechnology-use/

Pew Research Center, April 2015. U.S. Smartphone Use in 2015. http://www.pewinternet.org/2015/04/01/us-smartphoneuse- in-2015/

Piron L, Turolla A, Agostini M, et al. 2009. Exercises for paretic upper limb after stroke: a combined virtual-reality and telemedicine approach. J Rehabil Med. Oct 1;41(12):1016-20.

Rees RS, Bashshur N. 2007. The effects of telewound management on use of services and financial outcomes. Telemed e-Health. 13: 663-674.

Rimmer JH, Wang E, Pellegrini CA, et al. 2013. Telehealth weight management intervention for adults with physical disabilities: A randomized controlled trial. Am J Phys Med Rehabil 92:1084-1094.

ExPAAC II Presentation July 27-30, 2016. Hageman PA: Use of distance delivery interventions

Russell TG, Buttrum P, Wooton R, Jull GA. 2004. Total knee replacement rehabilitation via low-bandwidth telemedicine: The patient and therapist experience. J Telemedicine Telecare. 10:78-85.

Russell TG, Buttrum P, Wootton R, et al. 2011. Internet-based outpatient telerehabilitation for patients following total knee arthroplasty: A randomized controlled trial. J Bone Joint Surg Am. 93:113-120.

Russell T, Hoffmann T, Nelson M, Thompson L, Vincent A. 2013. Internet-based physical assessment of people with Parkinson disease is accurate and reliable: A pilot study. J Rehabil Res Dev 50 5: 643-650.

Shaya FT, Chirikov VV, Howard D, et al. 2014. Effect of social networks intervention in type 2 diabetes: a partial randomized study. Journal of Epidemiology and Community Health. Apr;68(4):326-32

Silva GS, Farrell S, Shandra E, Viswanathan A, Schwamm LH. 2012. The status of telestroke in the United States. Stroke. 43:2078-2085.

Skinner C, Finkelstein J. 2008. Using cell phones for chronic disease prevention and management. AMIA Annu Symp Proc. Nov 6:1137.

Stoyanov SR, Hides L, Kavanagh DJ, Zelenko O, Tjondronegoro D, Mani M. 2015. Mobile app rating scale: a new tool for assessing quality of health mobile apps. JRMI hHealth uHealth. 3(1):e27.

Thomas L, Capistrant G. 2015. State Telemedicine Gaps Analysis Coverage and Reimbursement. American Telemedicine Association. http://www.americantelemed.org/docs/default-source/policy/2016 50-state-telehealth-gaps-analysis--coverage-and-reimbursement.pdf

Tousignant M, Moffet H, Boissy P, et al. 2011. A randomized controlled trial of home telerehabilitation for post-knee arthroplasty. J Telemed Telecare. 17(4):195-198.

Tousignant M, Moffet H, Nadeau S, et al. 2015. Cost analysis of in-home telerehabilitation for post-knee arthroplasty. J Med Internet Res. Mar 31;17(3):e83. doi: 10.2196/jmir.3844.

Truter P, Russell T, Fary R. 2014. The validity of physical therapy assessment of low back pain via telerehabilitation in a clinical setting. Telemedicine and e-Health. 20(2): 161-167.

Tullidge T. 2015. Telehealth and investors: the Future? The Robert J. Waters Center for Telehealth and e-Health Law (CTeL). http://ctel.org/2015/11/telehealth-and-investors-the-future-ctel-executive-summit/

Wieland LS, Falzon L, Sciamanna CN, et al. 2012. Interactive computer-based interventions for weight loss or weight maintenance in overweight or obese people. Cochrane Database Syst Rev. 2012;8:CD007675.

ExPAAC II Presentation July 27-30, 2016. Hageman PA: Use of distance delivery interventions

Wilson FA, Rampa S, Trout KE, Stimpson JP. 2016. Reimbursements for telehealth services are likely to be lower than non-telehealth services in the United States. J Telemed Telecare. Jun 3. pii: 1357633X16652288. [Epub ahead of print]

Veterans Administration http://www.telehealth.va.gov/index.asp

International Journal of Telehealth http://telerehab.pitt.edu/ojs/index.php/Telerehab/issue/view/250