

Spring 4-1-2002

## Role of disulphide bond formation in folding, secretion, and assembly of human chorionic gonadotropin subunits.

Elliott Bedows  
*University of Nebraska Medical Center*

Ryan J. Darling  
*University of Nebraska Medical Center*

Jason A. Wilken  
*University of Nebraska Medical Center*

Simon Sherman  
*University of Nebraska Medical Center, ssherm@unmc.edu*

Tell us how you used this information in this [short survey](#).

Follow this and additional works at: [https://digitalcommons.unmc.edu/eppley\\_articles](https://digitalcommons.unmc.edu/eppley_articles)



Part of the [Neoplasms Commons](#), and the [Oncology Commons](#)

---

### Recommended Citation

Bedows, E., Darling, R. J., Wilken, J. A., & Sherman, S. A. (2002). Role of disulphide bond formation in folding, secretion, and assembly of human chorionic gonadotropin subunits. *Indian Journal of Experimental Biology*, 40(4), 467-476. <http://nopr.niscair.res.in/handle/123456789/17350>

This Article is brought to you for free and open access by the Eppley Institute at DigitalCommons@UNMC. It has been accepted for inclusion in Journal Articles: Eppley Institute by an authorized administrator of DigitalCommons@UNMC. For more information, please contact [digitalcommons@unmc.edu](mailto:digitalcommons@unmc.edu).



ERROR: undefined  
OFFENDING COMMAND: eexec

STACK:

/quit  
-dictionary-  
-mark-