

5-2021

Early Systolic Dysfunction and Impact of Gene Mutation Severity in Marfan Syndrome

Aaron Clem
University of Nebraska Medical Center

Lois J. Starr
University of Nebraska Medical Center

David Danford
Children's Hospital & Medical Center

Mary Craft
University of Nebraska Medical Center

Ling Li
University of Nebraska Medical Center

See next page for additional authors

Tell us how you used this information in this [short survey](#).

Follow this and additional works at: https://digitalcommons.unmc.edu/chri_forum



Part of the [Cardiology Commons](#), and the [Pediatrics Commons](#)

Recommended Citation

Clem, Aaron; Starr, Lois J.; Danford, David; Craft, Mary; Li, Ling; Christensen, Jason; and Yetman, Anji, "Early Systolic Dysfunction and Impact of Gene Mutation Severity in Marfan Syndrome" (2021). *Child Health Research Institute Pediatric Research Forum*. 9.
https://digitalcommons.unmc.edu/chri_forum/9

This Poster is brought to you for free and open access by the Children's Hospital & Medical Center at DigitalCommons@UNMC. It has been accepted for inclusion in Child Health Research Institute Pediatric Research Forum by an authorized administrator of DigitalCommons@UNMC. For more information, please contact digitalcommons@unmc.edu.

Authors

Aaron Clem, Lois J. Starr, David Danford, Mary Craft, Ling Li, Jason Christensen, and Anji Yetman

Early Systolic Dysfunction and Impact of Gene Mutation Severity in Marfan Syndrome

Aaron Clem, MD, Lois Starr, MD, David Danford, MD, Mary Craft, Ling Li, MD, Jason Christensen, MD, and Anji Yetman, MD

University of Nebraska Medical Center, Omaha, NE 68198

Children's Hospital & Medical Center, Omaha, NE 68114


Child Health
Research Institute

University of Nebraska
Medical Center

Children's
HOSPITAL & MEDICAL CENTER

Background

- Marfan syndrome is caused by a mutation in the fibrillin-1 gene that manifests with a variety of features including aortic root dilation.
- Recent research has identified a primary cardiomyopathy in patients with Marfan syndrome, hypothesized to be due to the presence of abnormal fibrillin-1 in the myocardium. Controversy over the nature and significance of this cardiomyopathy remains.
- There is a wide spectrum of severity of this cardiomyopathy, with many patients having no detectable dysfunction and some having pronounced systolic dysfunction without an apparent reason.
- Left ventricular ejection fraction (EF) is increasingly thought to be an insensitive marker for early systolic dysfunction, as the heart is able to preserve a normal LVEF via compensatory mechanisms with mild or early systolic dysfunction.
- Echocardiographic measurement of the first-phase of ejection (defined as the beginning of systole to peak aortic valve flow) may be more sensitive to systolic dysfunction and provide useful clinical information



Results

- 126 patients with Marfan syndrome were identified
- 44 were excluded based on significant valve disease
- Of the 82 patients not excluded, genetic testing results are available for 59
- Echocardiographic measurements are underway.

Purpose

- Assess systolic dysfunction in patients with Marfan syndrome
- Describe first-phase fractional area change (FAC1) in patients with Marfan syndrome and determine how it varies between Marfan syndrome patients and a control group
- Determine if FAC1 varies between mild and severe genetic mutation groups
- Verify there is a difference in propensity for cardiomyopathy in mild vs severe gene mutation Marfan syndrome patients

Methods

- Retrospective review of all patients with Marfan syndrome followed by the Aortopathy Clinic, including clinical, echocardiographic, and genetic records
- Measure traditional echo parameters of LV systolic function as well as the novel FAC1
- Patients were excluded if they had significant mitral or aortic valve regurgitation, prior cardiovascular surgery, or poor echo image quality.

Conclusions

- We have a sizable number of patients which should allow for meaningful results.
- Echocardiographic measurements and statistical analysis will be completed.

Disclosures

None